


# PRODUCT CATALOG 2017











# Who We Are

Our success is based on a simple, founding principle: provide superior products and outstanding service. From its inception, Cardinal has had a strong commitment to precision fabrication, coupled with an aggressive pursuit to engage the latest technology. Through three generations of family ownership and operation, we continually reinvest in our business to stay on the forefront in quality, service, design, and innovation.

Cardinal Systems, Inc. was founded in 1976 by Warren "Mickey" Bradley to produce galvanized steel walls for in-ground swimming pools in a modest shop with only one shear, a press brake, and punch press. In collaboration with Mickey was his son Walter "Skip" Bradley, who was the progressive lead of the manufacturing operations and was instrumental in continuously improving the manufacturing process and product offerings. Today, under the leadership of Skip's children, Rachel and David Bradley, in partnership with CEO Marc Schmitz and President Debra Haase, we continue to grow and expand our product lines to meet the demands of our customers as well as the growing trends of the industry.

Based in Schuylkill Haven, Pennsylvania, our offices and manufacturing facilities have expanded to occupy over 300,000 square feet. Cardinal has grown to become the world's largest and most technologically-advanced manufacturer of galvanized steel walls for in-ground swimming pools.

# **Brands**

In addition to steel fabrication, Cardinal's offerings encompass custom plastics (extrusion and thermoforming), polymer (pool walls and custom structural foam molding), and aluminum (liner track and coping). The Cardinal Systems, Inc. brands consist of:

Cardinal, our steel (pool walls, steps and benches), polymer (pool walls and custom structural foam molding), and aluminum (liner track and coping).

Quaker Plastics, our extrusion and thermoforming products such as deck drains, thermoformed steps and liner bead.

Z Poolform, a unique, reusable system that provides an attractive cantilever concrete deck. The forms come in several edge options.

Sierra Outdoor Designs, a modular outdoor cabinetry system designed to create a customized outdoor kitchen space made with 316 marine grade stainless steel.

All Cardinal Systems, Inc. products are made in America.

# Ordering

If you have any questions or would like to order, either contact your nearest dealer or one of our customer service representatives. Normal scheduled working hours for the Customer Service Department are Monday-Friday 8 a.m.- 5 p.m. (EST).

To find a dealer nearest to you, please visit our website at: http://cardinalsystemsinc.com/contact/dealer-locator/


# **Contact Information**

### **Customer Service**

Phone: 570-385-4733 250 Route 61 South • Schuylkill Haven, PA 17972



Debra Haase, president of Cardinal Systems, Inc.











# Index

### CARDINAL SYSTEMS, INC.

Company Profile & History1	l
Contact Information1	

### **STEEL POOL WALLS, STEPS, AND BENCHES**

About
Pools
Custom Steel Steps
Open Pour Steps

### **CARDINAL COPING AND LINER TRACK**

About	
Coping Installation Tips11	

### RESOURCES

Coping Corner Length Installation12	
Color Guide	

### BULLNOSE COPING

PC13
CB13
CR13
CL
CP/C4
FC

### LINER TRACK

Top Mount
T2
T3
HZ Series15
Side Mount
AS16
SM16
VT
Cap Lock
HC
-
HC17
HC
HC
HC
HC

### SPECIALTY PROFILES

SS	 19
CG	 19
AG	 20
CC	 20
SC	 20

## ACCESSORIES

Coping Tape
Vinyl Trim Seal
PAL Replacement Clips
Zinc Tek Screws
Touch-up Paint

### QUAKER PLASTICS DRAINS AND MORE

About	23
Color Guide	24

# DECK DRAINS

4" Water Hog
3" Water Hog
2" Square Drain
Deck Drain-A-Way <sup>®</sup>
2" Paver Drain
Streamline

### CONCRETE PRODUCTS

1" Paver Overlay	.31
Replacement Cap Quaker Drain	.31
Replacement Cap Common Drain	.31
Arrowhead <sup>™</sup> Control Joint	.32
Arrowhead <sup>™</sup> Control Joint Ext	.32
Arrowhead <sup>™</sup> Accent Strip	.32

### DISCHARGE HOSE

Heavy Duty Discharge Hose	
---------------------------	--

# LINER LOCKS

Liner Bead Wedge Lock.	
------------------------	--

### LINER TRACKS

Side Mount
Top Mount
Radius Cut
6" Radius Corner for Top Mount

### COPING WITH LINER TRACK

Top Mount Double Track .....

### LINER HANGERS

Above-Ground Pool Replacement Liner Hanger . Deluxe Above-Ground Pool Replacement Liner Hange

### HOLDERS

Ceramic Tile Holder	
Sign Holder	

### THERMOPLASTIC STAIRS

About	
Quaker Stairs	
Cardinal Step	

### **Z POOLFORM**

About	
Auto Cover Form	
Cantilever Z Poolforms	
Accessories	
Reusable Form Liners	

### SIERRA OUTDOOR DESIGNS®

### CABINETRY LINE

Base Cabinet
Bar Cabinet
Grill Cabinet
Corner Cabinet
Sink Cabinet
Sink Bar Cabinet
Refrigerator Cabinet
Refrigerator Bar Cabinet
24" Trash Cabinet
45 Degree Corner Cabinet

### PRE-BUILT DESIGNS

The Pocono	
The Blue Ridge	
The Denali	
The Appalachian	
The Catskills	
The Allegheny	

APPLIANCES

35	32" Allegra Built-In Grill
	38" Allegra Built-In Grill
	Summit Outdoor Refrigerator
35	Kraus KPF-2160 Classic Kitchen Faucet60
er .35	McAllister <sup>®</sup> Stainless Steel Sink





# STEEL POOL WALLS, STEPS, AND BENCHES

# **About Our Products**

At the heart of our business is steel walls, steps and benches to create the pool dreams are made of. We offer unique services and products that are custom made for each customer. Our commitment to superior quality and service dates back 40 years and spans three generations.

Technology plays an important role in manufacturing pool panels and components. We are way ahead of our competitors in meeting your needs. We invest in technology — the kind of technology that enables us to engineer, bend, shape, and build the kind of pool systems that surprise and satisfy your customers. We invite you to view a video on our processes at: www.cardinalsystemsinc.com/about.

# **Steel Panel Walls**

Cardinal's pool wall panels are made from only the finest domestically-sourced raw materials. We realize our customers are making a big investment when they decide to install a backyard pool, so we do our utmost to insure that the result is a beautiful and long-lasting swimming pool. Our commitment to quality and service is unrivaled.

Our manufacturing processes and computer design assures that every panel is totally consistent and accurate every time, guaranteeing a perfect fit and easy assembly on the job site. Our steel wall panels are made of 14 gauge galvanized steel and are engineered precisely so that they join together seemlessly. For extra strength where it counts, the wide top and bottom flanges are mitered at each corner to join strength of the vertical side flanges. The horizontal and vertical flanges are then united by togglelocking the two together. No welding is needed, therefore the integral protection of the galvenizing is totally preserved.

# **Braces and Supports**

# A-frame brace

One of the several types of adjustable wall supports that assure a straight, square structure with or without water.

### **Deck brace**

The use of deck braces permits concrete or other decking material to be installed immediately after the pool is installed, without waiting for the back to settle. The inverted "A" shape transfers the weight of the deck to the base of the wall using the outward pressure of the water to equalize the stress on the wall.

# **Skimmer Support**

Designed to support the weight of the skimmer during and after backfilling, the skimmer support fits securely under the skimmer on the wall's bottom flange.








# Pools

# **Shapes for Any Space**

Cardinal Systems' wide variety of standard and custom pool 16' x 34' • 18' x 36' • 18' x 38' styles provides you the ability to give your customers the right look for their environment.

Our CAD department can take any drawing and make it into the pool of your customer's dreams. Elegance and variety are central to Cardinal's custom-designed swimming pools.

Some of our standard shapes and sizes are listed on this page. We do any shape and any size - call us!















Pond

1. RECTANGLE

5. ROMAN END

7. TRUE ELL

9. KIDNEY

16' x 32' x 12' x 26'

18' x 40' x 30' x 12'

3. OASIS

14' x 28' • 16' x 36' • 16' x 32'

18' x 36' • 16' x 34' • 20' x 40'

16' x 32' • 18' x 36' • 20' x 40'

14' x 28' • 16 x 36' • 16' x 32' 16' x 34' • 18' x 36' • 20' x 40'

7 True Ell

4 Lazy Ell

**Some Standard Shapes and Sizes** 













9 Kidney

4. LAZY ELL 16' x 39' • 18' x 43' • 20' x 44' 6. MOUNTAIN POND 14' x 28' • 16 x 32' • 18' x 36'

14.5' x 28.5' • 16.5' x 32.5'

16.5' x 32.5' • 16.5' x 35.5'

8. DOUBLE ROMAN END

16' x 32' • 18' x 36' 20' x 40'

2. GRECIAN

# 10. LAGOON

22' x 34' x 40' • 18' x 29' x 35'



10 Lagoon 9 Kidney

8 Double Roman End Pools













POOLS 7

# Custom Steps

# **Custom Entry Ideas**

The selection of entry steps, benches, sundecks, or lounges can truly personalize the pool and whole recreation area.

Cardinal offers over 150 standard steel step and bench models, available in any height and shape.

We also build new custom steps, benches, and spas every day. The first time a new model is made it is assembled in our shop to guarantee that all the pieces fit perfectly. This assures easy and accurate on-site installation - every time! All our steps are available with a liner track installation system for a perfect fit for the vinyl liner.

Cardinal steps are unmatched for performance, function, and elegance.



In-house Assembly All Cardinal steps are fully assembled on the factory floor before shipping.



Easy Installation Easy in-field installation with confidence for a perfect fit.



**Beautiful Finish** Finished step creates a beautiful entrance to your completed pool.



Keep your options open and affordable with an open pour step or bench solution. Here at Cardinal, every steel step and bench we make is available as an open pour. We want you, the builder, to have the flexibility to decide what is best for your customer. We work with you to provide the best options to build the pool of your customers' dreams.

> Perfect for larger designs including benches, sun decks, kiddie pools, and spas.





8 CUSTOM STEPS

cardinalsystemsinc.com


cardinalsystemsinc.com







Fill with gravel, concrete, or other non-expansive material.







# **COPING & LINER TRACK**

# **About Our Products**

Cardinal uses only the finest quality materials for all its manufacturing. Our aluminum coping starts with a 6063 alloy aluminum, which is extruded, then electrostatically-coated with a paint finish that is baked on.

Our white and gray painted aluminum finish is

- Pretreated with a non-chrome zinc base
- · Electrostatic-applied wet polyester paint
- Cured at 350 degrees in aging oven

# **Fabrication Methods**

### Cut and Weld

Cutting and welding is used to make angled transitions and odd corners that are unable to be bent. A non-bendable coping profile can be cut and welded in segments to create different radii.

### **Custom Fabrication and Coping Profiles**

Cardinal is able to fabricate coping to meet almost any need, from free-form pools to odd plastic step kits to milling for water features. Cardinal has created many proprietary extrusions for customers. If you have a requirement for a custom or proprietary extrusion, please contact our Customer Service Department at 570-385-4733 or via email at customerservice@cardinalsystemsinc. com. We will be happy to discuss a solution for your requirements.

Please Note: If Cardinal coping or liner track is used in conjunction with a salt generator, all warranties from the extruder will be null and void. Cardinal Systems will not be liable for salt generator damage.

# **Coping Installation Tips**

### **Coping Installation**

Coping profiles are attached to steel and polymer walls using self-tapping tek screws. Cardinal recommends placing these at intervals no greater than every 18".

When coping is made for a pool, typically there will be some extra length that will need to be trimmed in the field. This is the best way to ensure a proper fit for each job. Though a hack saw will cut through most aluminum extrusions, Cardinal recommends using a miter saw, outfitted with an aluminum cutting blade for the most professional results. Coping profiles that form the finished edge of the pool, such as bullnose coping, will require coping clips to cover the joint between each piece of coping.

### Bonding

Because Cardinal's coping is made from aluminum, it will need to be properly bonded. Follow your federal, state, and local electrical codes to be sure that coping is properly bonded.









# **Coping Corner Lengths Installation**

Shown below are corner lengths and dimensions.






# **Color Guide**





NON-SKID TAN








of 1, 3, 6 to a case.

РС



а

СВ




T٢ is He

We recomr liner bead i tracks and

CR

This coping is also referred as "CP2".

Most popular coping style in



the industry!

CL




**12** COPING CORNER LENGTHS • COLOR GUIDE

Custom Fabrication - Can be bent to fit any shape, including standard 6", 2', or 4' radius, Grecian corners, and steps. Custom-slotted coping for waterfalls is available. All Bullnose Coping is available in 8' and 12' ft. lengths. Case packs

		← 2 1/4" →
Part No.	Color	
PCW	Non-skid white	
PCG	Non-skid gray	
	a flat bullnose profile r to Pacific style coping.	
		<1 <sup>13</sup> / <sub>16</sub> " →
		1 ³/₄" →
Part No.	Color	
CBW	Non-skid white	
	ng has 3" profile and leight to the original coping.	3 1/16"
	bead roller to help lock receiver on all our liner	↓
Dort No	Color	← 1 3/8" →
Part No		
CRW	Non-skid white	
CRG	Non-skid gray	1
CRT	Non-skid tan	2 7/16"
lip on the the builde farther fro	s designed with a longer straight pieces, allowing er to place TEK screws om the liner track to avoid he bullnose with the drill	√     √
		1 <sup>3</sup> /8"
Par	rt No. Color	
CLV	V Non-skid white	
optic	CL is designed with the fib receiver under the bullnos r to the water's surface for	se,

closer to the water's surface for a better reflection.

# Bullnose Coping




# CAP LOCK COPING

### CP/C4

FC

For polymer wall pools


CP and C4 may be combined with the CR coping profiles to build corners and radius curves.





Part No.	Color
CPW	Non-skid white
C4W	Non-skid white

The CP fits 3 <sup>3</sup>/<sub>4</sub>" flange polymer panels. The C4 fits 4" flange polymer panels.







# TOP MOUNT

All liner track is made from heavy-duty, electrostatically-coated aluminum extrusion. Custom Fabrication - Can be bent to fit any shape, including standard 6", 2', or 4' radius, Grecian corners, and steps. Ask about fabrication for other corner shapes.

Available in 8 ft. lengths only. 15 or 25 per case.



**T2** 2" Top Mount Track For steel, polymer & concrete wall pools



### ТЗ 3" Top Mount Track For steel, polymer & concrete wall pools




The T3 is available in notched or straight lengths.




Part No.	Color
FCW	Non-skid white
FCG	Non-skid gray

The FC is the only Bullnose Coping that can be bent in the field. This will allow for less SKUs and is available in notched. Clips and tethers support brace are sold separately.







HZ track is designed to accept the Cardinal **Z** Poolform



\*The and a

The HZ series can be roll-bei radius for all pool shapes and notched lengths.

**14** BULLNOSE COPING

cardinalsystemsinc.com

cardinalsystemsinc.com


- 1. Extended frontal probe insures a tight seal against cantilever deck forms and keeps cement paste out of receiver area
- 2. Cleaning guide groove gives clean, even edges on any type of cantilever deck finish
- 3. Liner bead receiver is specially designed to insure positive lock-in
- 4. Nail and screw guides
- 5. Vertical alignment lip assists in aligning track against pool wall

Part No.	Color
T2W	white
T2G	gray



The T2 is available in notched or straight lengths.

Part No.	Color
T3W	white



All our liner tracks are available in standard and custom notched lengths for free-form pools and radius corners.

		_			
art No.	Color		HZ	↓ <sub>3/8</sub> "	
ZW	white			<b>└</b>	
ZG	gray			k-	──1 <sup>1</sup> /4" ──→
2W*	white				
3W*	white	H2	<u>↓</u> <u>1/4"</u>		 7/16" ↓
	ome in white on hed or straight.		\ 	2"	↑ 1/2" ↓
		►		3 1/8"	
ent to virtually an ad also comes in	y V	H3		3" ———	3/8" →

# **Liner Track**



# SIDE MOUNT

Angled side mount track for reducing gap under old coping. Available in WHITE only.

Available in 8 ft. lengths only. 15 or 25 per case.



SM

For radius

and free-form

pools,use SM,

a notched track

that can be bent

to conform to al-

most any radius.





The AS is available in 8' straight, 8' notched and 6" radius notched lengths. White only.

The SM is available in 8' straight,

8' notched and 6" radius notched

lengths. White only.

The AS is designed to fit snuggly under old pool coping, eliminating the gap other side mount tracks leave between coping and receiver track.

- 1. Turned-up lip reduces gap opening under old coping
- 2. Includes nail and screw guides

Part No.

pool wall

pool wall

types of pool wall

SMW

- 3. Angled receiver secures liner bead to prevent slipping
- 4. Longer length allows more area to attach to wall

Color

white

This side mount track has these improved features:

1. Receiver area shortened 1/8" to bring liner closer to

2. More screw guides to keep self-drilling screws from

wandering when drilling through mounting flange to


3. Longer mounting flange for easier attachment to different



# CAP LOCK

# НС

For Cardinal polymer wall pools




**T4** 


For polymer wall pools



# DOUBLE TRACK

DT





VT



Part No.	Color
VTW	white

The VT is available in white only.

Can be bent to fit any shape, including standard 6", 2' or 4' radius and Grecian corners as well as steps.


The VT can be roll-bent at the factory for almost any shape free-form pool.

This profile can also be bent on-site without being notched to fit most radii. down to 2' radius.



Part No.	Color
DTW	white
DTG	gray

The DT is available in white or gray and comes in 8' straight or notched lengths in counts of 15 pieces per box.



- 1. Top receiver track for locking cantilever deck forms in place with key locks or for installation of winter covers
- 2. Bottom receiver track for installing liner bead with positive lock-in
- 3. Nail and screw guides
- 4. Back vertical lip helps lock pool wall in concrete deck


# **Liner Track**



# FIBER OPTIC TRACKS

### FR

**Round Fiber Optic** 





• FRW EXIT piece required

NOTE: Use with Supervision SV42, Fiberstars FS-CABL-49 & American Fiberworks FW Glow Perimeter Fiber Optic Polaris AD79

### FF

# Flat Fiber Optic

Top mount, for installing fiber optics and liner on vinyl liner pools

### • FFW EXIT piece required


NOTE: Use with Fiberstars FSSB-FSEO or Supervision SV23 perimeter fiber optic cable.

	Ра
	FR
_	Ch a

rt No. Color RW white


The FR is available in white only and comes in 8' straight or notched lengths in counts of 15 pieces per box.


6" radius notched pieces available in counts of 1 or 4.




The FF is available in white or gray and comes in 8' straight or notched lengths in counts of 15 pieces per box.

6" radius notched pieces available in counts of 1 or 4.











# SNAP STRIP COPING




The SS (Snap Strip Coping) is an ideal coping for pool renovations.

SS



Shown with white insert



# WOOD RECEIVER COPING

CG





**18** LINER TRACK




Part No.	Color
SSW	Non-skid white/white inserts
SSB	Non-skid white/blue inserts

The SS comes in 12', 14' and 16' straight lengths in counts of 1 or 2 pieces.

The SS comes in standard configurations for most rectangular pools including an 18" diagonal, 6" radius, 90°, and 135° Grecian corners.

Other sizes can be cut and welded to fit many curves, including reverse 6" radius, 270°, 2', 4' corners, and full radius ends for oval pools.




### Part No. Color

CGW Non-skid white

The CG comes in 12' straight lengths in counts of 6 pieces.

The CG is designed to receive standard 1 <sup>1</sup>/<sub>4</sub>" (<sup>5</sup>/<sub>4</sub>" board) decking and is popular for on-ground pools or pools surrounded by wooden decks.



Cut and welded corners only

Special Note: Lengths can be cut for UPS shipping

# Specialty Profiles



# **ABOVE GROUND COPING**

### AG



Up sell the AG liner track when selling an overlap liner replacement. After installing it, the top rail will never have to come off again.

Straight Wall Ovals Part No. Dimensions AGW-12K + AGW-S05X05 12' x 24' oval 15' x 24' oval AGW-15K + AGW-S05X05 AGW-15K + AGW-S05X08 15' x 30' oval AGW-16K + AGW-S05X07 16' x 32' oval

AGW-18K + AGW-S05X09 AGW-18K + AGW-S05X08 18' x 34' oval

18' x 33' oval

Part No.

SCG

### 1. Deep hook to hang on top of wall 2. Long flange to fit under most top rails 3. Pre-bent for different size pools 4. Can be hand-bent for adjustments

The AG is available in white only and 5' lengths.

Part No.DescriptionAGW-12K12' roundAGW-15K15' roundAGW-16K16' roundAGW-18K18' roundAGW-21K21' roundAGW-24K24' roundAGW-27/28K27'/28' roundAGW-30/32K30'/32' round	Round Above Ground Pools		
AGW-15K       15' round         AGW-16K       16' round         AGW-18K       18' round         AGW-21K       21' round         AGW-24K       24' round         AGW-27/28K       27'/28' round         AGW-30/32K       30'/32' round	Part No.	Description	
AGW-16K         16' round           AGW-16K         16' round           AGW-21K         21' round           AGW-24K         24' round           AGW-27/28K         27'/28' round           AGW-30/32K         30'/32' round	AGW-12K	12' round	
AGW-18K18' roundAGW-21K21' roundAGW-24K24' roundAGW-27/28K27'/28' roundAGW-30/32K30'/32' round	AGW-15K	15' round	
AGW-21K21' roundAGW-24K24' roundAGW-27/28K27'/28' roundAGW-30/32K30'/32' round	AGW-16K	16' round	
AGW-24K         24' round           AGW-27/28K         27'/28' round           AGW-30/32K         30'/32' round	AGW-18K	18' round	
AGW-27/28K         27'/28' round           AGW-30/32K         30'/32' round	AGW-21K	21' round	
AGW-30/32K 30'/32' round	AGW-24K	24' round	
	AGW-27/28K	27'/28' round	
	AGW-30/32K	30'/32' round	
AGW-33K 33' round	AGW-33K	33' round	

# **CONCRETE LINER TRACK**





	Part No.	Color	
	CCW	white	
i	The CC is availabl and comes in 8' st 15 pieces per case	raight lengths,	_


Color

Non-skid gray

# STONE COPING SUPPORT

# SC

Fits Cardinal's stone coping support system



The SC is a top mount liner track for stone coping support system

The SC comes in 8' straight lengths sold by the piece.


1 <sup>3</sup>/8" Special features of Cardinal's Stone Coping Support System • Manufactured of 14 gauge galvanized steel and can be used on

- all Cardinal steel pool kits.
- Provides 10" base for attachment of stone coping or pavers. • Weight of coping stones is supported by a channel that is locked into collar.
- Use a pea gravel or small aggregate mix to make finishing easier. • Eliminates excavation for second bond beam as well as additional concrete deliveries.



### WHITE COPING TAPE

**VT1500** 1 roll=2" x 60 yds.



### VINYL TRIM SEAL

**TS1-120W** White, One 120' Roll


TS1-120G Gray, One 120' Roll



### PAL REPLACEMENT CLIPS

PALSTR For Straight Coping Joints

PALCRN For Corner Coping Joints



### NON-SKID TOUCH-UP PAINT

**CRW-NONSKID** 

12 oz. Spray Can **Texture White** Covers 8-10 square feet

### **CWW-GLOSS**

12 oz. Spray Can Gloss White Covers 8-10 square feet

**CRG-NONSKID** 12 oz. Spray Can Texture Gray Covers 8-10 square feet

**CRW-QUART** 

Can be notched for custom bending on site

1 1/16





Use to tape off edge of aluminum coping to protect coping from concrete being scratched during screening. Tape comes off without leaving any gummy residue.



The TS1 Trim Seal will seal off liner track when step kits have been constructed using the FF or FR to go around cantilever walk-in steps for vinyl pools. It will seal off the top track of the DT Double Top Mount Liner Track after it has been used to lock cantilever deck forms in place during pool constructions.



### ZINC TEK SCREWS

**BP000TS** 110 #12 - 1" Tek Screws



# **CRT-NONSKID**

1 qt. Touch-up Texture White Covers 50 square feet

12 oz. Spray Can Texture Tan Covers 8-10 square feet





# **CONCEPTS IN PLASTICS**

# **About Our Products**

Quaker Plastics is a wide range of products including pool steps, deck and paver drains, liner locks and other items for the swimming pool industry, as well as control joints for the concrete construction market, and specialty items for industrial and consumer products.

Our well-trained, multi-talented staff can take on the toughest jobs and provide engineering solutions, proven by a history of exclusive and innovative products. Using state-of-the-art manufacturing processes, we are known for making the highest quality plastic products.

# **Deck/Paver Drains**

Quaker Plastics' line of deck and paver drains are designed to last longer. Made of all-weather, rigid PVC and available in several designer colors, our drains can match your landscape needs for color and function. The drains are constructed with a concave top for superior drainage and minimal debris collection. Our design provides for less clogging and for handling more water volume than comparably sized competitive drains.

The deck drains can be mounted flush against the wall so there is no need to seal at wall or structure. The drains are ready to install with tops and base assembled, screws, connections, protective tape, and instruction sheet included in the packaging.

# **Control Joint / Accent Strip**

Control Joint: Our patented Arrowhead<sup>™</sup> Control Joint has a unique arrow-shape that presses easily into concrete with no channels to obstruct installation. The control joint locks into concrete, allowing minimal water seepage. Double-layer, peel-off tape protects the top during installation. Available in designer colors to match the latest in decking treatments.

Extension Base: The patented Arrowhead<sup>™</sup> Control Joint Extension Base is used when a full expansion, as well as contractual joint, is needed. Simply snap the base to our Arrowhead<sup>™</sup> Control Joint to meet this requirement.

Accent Strip: Our trademarked Arrowhead<sup>™</sup> Accent Strip is ideal for providing a decorative trim or pattern in poured concrete where a true expansion joint is not needed. Double-layer, peel-off tape protects surface during installation. Available in colors to match the latest in decking treatments.

# **Discharge Hose**

Quaker Plastics boasts the highest-quality vinyl discharge hose in the industry – 20% thicker than the competition. The hose is available in various sizes and lengths for both the pro and the homeowner. Convenient spools are ideal for the trucks of installers and service professionals. Smaller rolls, which include a stainless steel clamp, are shrink-wrapped for best shelf visibility and easier handling.

# **Accessories and Renovation Products**

We offer an accessory product line for additional needs specific to the pool industry. In addition, we offer an array of products for repair and upsell during renovation projects.

# Quaker






# **Color Guide**



# **Color Guide for Deck Drains and Concrete Products**



PAVER GRAY (for paver drain and paver overlay only)








WHITE

TAN

The color representations have been printed as closely as possible to actual colors, however, product color may vary from photograph.

### The following Quaker Plastics products are available in the colors to the left:

- 3" Water Hog<sup>®</sup> Deck Drain and Fittings
- 4" Water Hog® Deck Drain and Fittings
- 2" Paver Drain and Fittings
- 1" Paver Overlay
- 2" Square Drain System and Fittings
- Deck Drain-A-Way® and Fittings
- Streamline and Fittings
- Arrowhead™ Control Joint
- Arrowhead™ Accent Strip
- Replacement Caps





# **QP-6251** 4" Water Hog®



<b>4" Water Hog<sup>®</sup> Model Numbers</b> Available colors: white, gray, and tan (W,G,T)			
Item No. Length Packaging		Packaging	
QP-6251 (W,G,T)	6 ft.	24 ft./case, four 6-foot pcs.	
QP-6252 (W,G,T)	10 ft.	40 ft./case, four 10-foot pcs.	


Case includes four connectors, one extra screw packet, protective tape, and one instruction sheet. Six-foot length is UPS able, the ten-foot length is NOT.

<b>4" Water Hog<sup>®</sup> Fittings</b> Available colors: white, gray, and tan (W,G,T)			
Item No.	Style Fitting	Per Case	
QP-6253 (W,G,T)	45°	1	
QP-6254 (W,G,T)	90°	1	
QP-6255 (W,G,T)	Side Drainout	1	
QP-6256 (W,G,T)	Bottom Drainout	1	
QP-6257 (W,G,T)	Universal Tee	1	
QP-4951 (W,G,T)	4" Drain Tops only, 6' length	8	
QP-4973	Connector (gray only)	1	
QP-496A	End Plug/End Adapter Kit	1 ea.	
QP-496B End Adapter		1	
	(gray fitting, white base plate)		
QP-496C	End Plug	1	
	(gray fitting, white base plate)		

24 COLOR GUIDE



# 4" Deck Drain System with Gray Base



# **Deck Drains**

# QP-6241


3" Water Hog<sup>®</sup>



<b>3" Water Hog<sup>®</sup> Model Numbers</b> Available colors: white, gray, and tan (W,G,T)			
Item No. Length Packaging			
QP-6241 (W,G,T)	6 ft.	48 ft./case, eight 6-foot pcs.	
QP-6242 (W,G,T)	10 ft.	60 ft./case, six 10-foot pcs.	
QP-6241 (W,G,T) - 4 6 ft. 24 ft./case, four 6-foot pcs.			
Case includes connectors (8 pcs. in 6-ft. case, 6 pcs. in 10-ft. case), one extra screw packet, protective tape, and one instruction sheet. Six-foot length is UPS able, the ten-foot length is NOT.			


<b>3" Water Hog<sup>®</sup> Fittings</b> Available colors: white, gray, and tan (W,G,T)			
Item No.	Style Fitting	Per Case	
QP-6243 (W,G,T)	45°	2	
QP-6244 (W,G,T)	90°	2	
QP-6245 (W,G,T)	Universal Tee	2	
QP-6247 (W,G,T)	Bottom Drainout	2	
QP-6248 (W,G,T)	Side Drainout	2	
QP-5701 (W,G,T)	3" Drain Tops only, 6' length	8	
QP-5712	Connector (gray only)	1	
QP-572A	End Adapter	1	
	(gray fitting, white base plate)		
QP-572B	End Plug	1	
	(gray fitting, white base plate)		
QP-572C	End Plug/End Adapter Kit	1 ea.	


3" Deck Drain System with Gray Base




# 3" Water Hog® Fittings

Fittings for 3" Deck Drain System fit Items# QP-6241 and QP-6242






QP-5171 2" Square Drain System U.S. Patent No. 6,729.795




Adaptable to standard  $1 \ensuremath{\mathcal{V}}\xspace^{\prime\prime}$  fittings and stands on its own feet for easy upright installation.

# Benefits of 2" Square Drain System

- Heavy wall, bondable, drain system and all components are made from rigid PVC, proven in years of outdoor applications with lasting beauty.
- 2. Adapts to all standard 11/2" plastic fittings.
- 3. Joints bond together like PVC pipe, with PVC connectors supplied.
- Clean-outs adapt to 1<sup>1</sup>/<sub>2</sub>" threaded (purchased locally) or connector (supplied) for end clean-outs with either threaded or slip end cap.
- 5. Should a surface clean-out hole be desired, simply drill a 1" hole and snap in our clean-out fitting. To clean, remove plug and flush with hose. There are two supplied in every carton.
- Drain offers heavier walls than existing systems, as well as greater rigidity and durability.







Not shown End Cap (QP-5181-1 & 5182-1), and Surface clean-out plug, (QP-988-1).

- 7. Great water volume capacity.
- e 8. Double-taped top for extra strength when peeling off after ns concrete is in place.
  - 9. Smooth concave top surface provides better drainage and minimizes collection of dirt and debris

<b>2" Square Drain System Model Numbers</b> Available colors: white, gray, and tan (W,G,T)		
Item No.	Length	Packaging
QP-5171 (W,G,T)	10 ft.	80 ft./case, eight 10-foot pcs.
QP-5171 (W,G,T) - 2	8 ft.	16 ft./case, two 8-foot pcs.
QP-5171 (W,G,T) - 4	8 ft.	32 ft./case,four 8-foot pcs.
Includes eight connectors (QP-5981-1), two surface clean-out plugs (QP-988-1), double-protective tape, and one instruction sheet.		

011.

<b>2" Square Drain System Fittings</b> Available colors: white, gray, and tan (W,G,T)			
Item No.	Style Fitting	Per Case	
QP-5172 (W,G,T)	45°	8	
QP-5173 (W,G,T)	90°	8	
QP-5174 (W,G,T)	Side Adapter	4	
QP-5175 (W,G,T)	Bottom Drainout	4	
QP-5176 (W,G,T)	Universal Tee	4	
QP-5181-1*	End Cap, 3 <sup>1</sup> / <sub>8</sub> " length	1 pc.	
QP-5182-1*	End Cap, 1" length	1 pc.	
QP-988-1*	Surface Clean-out Plugs	1 pc.	
QP-5981-1*	Connectors	1 pc.	
* Available in WHITE ONLY			

2"SQUARE DRAIN 27

# **Deck Drains**



# **QP-3701 Deck Drain-A-Way® System II**


U.S. Patent No. 4,490,067 Canada Patent No. 1,221,043



Adaptable to standard 11/2" fittings and stands on its own feet for easy upright installation.

# Benefits of Deck Drain-A-Way® System II

- 1. Heavy wall, bondable, drain system and all components are made from rigid PVC, proven in years of outdoor applications with lasting beauty.
- 2. Adapts to all standard 11/2" plastic fittings.
- 3. Joints bond together like PVC pipe, with PVC connectors supplied.
- 4. Clean-outs adapt to 11/2" threaded (purchased locally) or connector (supplied) for end clean-outs with either threaded or slip end cap.
- 5. Should a surface clean-out hole be desired, simply drill a 1" hole and snap in our clean-out fitting. To clean, remove plug and flush with hose. There are two supplied in every carton.
- 6. Drain offers heavier walls than existing systems, as well as greater rigidity and durability.




- 7. Great water volume capacity.
- 8. Double-taped top for extra strength when peeling off after concrete is in place.
- 9. Smooth concave top surface provides better drainage and minimizes collection of dirt and debris

Deck Drain-A-Way <sup>®</sup> System II Model Numbers Available colors: white, gray, and tan (W,G,T)		
Item No.	Length	Packaging
QP-3701 (W,G,T)	8 ft.	72 ft./case, nine 8-foot pcs.
QP-3701 (W,G,T) - 2	8 ft.	16 ft./case, two 8-foot pcs.
QP-3701 (W,G,T) - 4	8 ft.	32 ft./case, four 8-foot pcs.
Includes nine connectors (QT-125-1), two surface clean-out plugs (QP-988-1), double-protective tape, and one instruction sheet.		


<b>Deck Drain-A-Way<sup>®</sup> System II Fittings</b> Available colors: white, gray, and tan (W,G,T)			
Item No.	Style Fitting	Per Case	
QP-3702 (W,G,T)	45° Inside	4	
QP-3703 (W,G,T)	45° Outside	4	
QP-3704 (W,G,T)	90° Inside	4	
QP-3705 (W,G,T)	90° Outside	4	
QP-3706 (W,G,T)	Universal Tee	4	
QP-3709 (W,G,T)	Bottom Drainout	4	
QP-1031-1*	Top End Caps	1 pc.	
QP-988-1*	Surface Clean-out Plugs	1 pc.	
QT-125-1*	Connectors	1 pc.	
* Available in WHITE ONLY			



**QP-6401 2"** Paver Drain



- 2%" Paver Height designed for standard pavers.
- Tan, gray and white three designer colors to match the latest paver styles.
- Securing clips packaged complete with 48 clips for locking underneath pavers. Alternate side-to-side or all on one side to fit flush with walls.
- Concave top assures superior drainage, minimizes debris collection.
- Ready to install includes eight connectors, securing clips (six per 10' length), protective tape, and instruction sheet.
- Adapts to all standard 11/2" plastic fittings.









<b>Paver Drain Model Numbers</b> Available colors: white, gray, and tan (W,G,T)			
Item No.	Length	Packaging	
QP-6401 (W,G,T) 10 ft. 80 ft./case, eight 10-foot p			
QP-6401 (W,G,T) - 2 8 ft. 16 ft./case, two 8-foot pcs.			
QP-6401 (W,G,T) - 4 8 ft. 32 ft./case, four 8-foot pcs.			
Includes eight connectors (QP-6411-1 or QP-6413-1), 48 securing clips (QP-1003), double-protective tape, and instruction sheet			



<b>Paver Drain Fittings</b> Available colors: white, gray, and tan (W,G,T)			
Item No.	Style Fitting	Per Case	
QP-6402 (W,G,T)	45°	10	
QP-6403 (W,G,T)	90°	10	
QP-6404 (W,G,T)	Bottom Drainout	4	
QP-6405	End Plug (white only)	4	
QP-6406 (W,G,T)	Tee Fitting	4	
QP-1003	Securing Clips (white only)	48	
QP-6411-1	Connector (gray)	1 pc.	
QP-6413-1	Connector (white)	1 pc.	
QP-5183-1	End Cap (white only)	1 pc.	

# **Deck Drains**



### **QP-7201 Streamline** Low Profile Drain




Streamline is the unique drain from Quaker Plastics. With its slim opening, Streamline blends seamlessly into the most elegant patio or deck.

- Visible entry channel only 1/2" wide
- Recyclable, protective, removable filler strip for installation, no tape/no residue
- Designed for pavers and concrete decks
- Available in white, gray, and tan
- Adapts to all standard 11/2" plastic fittings.

<b>Streamline Model Numbers</b> Available colors: white, gray, and tan (W,G,T)			
Item No. Length Packaging			
QP-7201 (W,G,T)	8 ft.	48 ft./case, six 8-foot pcs.	
QP-7201 (W,G,T) - 2 8 ft. 16 ft./case, two 8-foot pcs.			
QP-7201 (W,G,T) - 4 8 ft. 32 ft./case, four 8-foot pcs.			
Case includes 6 connectors and instruction sheet			

Streamline Fittings					
Available co	Available colors: white, gray, and tan (W,G,T)				
Item No.	Style Fitting	Per Case			
QP-7202 (W,G,T)	45° Inside Corner	2			
QP-7203 (W,G,T)	45° Outside Corner	2			
QP-7204 (W,G,T)	90° Inside Corner	2			
QP-7205 (W,G,T)	90° Outside Corner	2			
QP-7206 (W,G,T)	Bottom Drainout	2			
QP-7207	End Cap - (1 left, 1 right)	2			
QP-6413-1	Connector (white)	1			







# **QP-6611 1" Paver Overlay**





<b>1" Paver Overlay Model Numbers</b> Available colors: white, gray, and tan (W,G,T)				
Item No. Length Packaging				
QP-6611W (white)	5 ft.	100 ft./case, twenty 5-foot pcs.		
QP-6611G (gray) 5 ft. 100 ft./case, twenty 5-foot pcs.				
QP-6611T (tan) 5 ft. 100 ft./case, twenty 5-foot pcs.				
Includes Double-protective tape and one instruction sheet.				

# **QP-595 Replacement Cap for Quaker Deck Drain**


•	-	Quaker Deck Drain Mod : white, gray, and tan (W,G
Item No.	Length	Packagi
QP-595 (W,G,T)	5 ft.	100 ft./case, twen

Ideal to repair common 2" drain systems. Fits Quaker's 2" Square Drain (QP-5171). Simply saw out damaged area, insert replacement drain top, and bond it in place.

# **QP-2551 Replacement Cap for Common Deck Drain**


Replacement Cap for Common Deck Drain Model Number Available colors: white, gray, and tan (W,G,T)		
Item No. Length Packaging		
QP-2551 (W,G,T)	4 ft.	96 ft./case, twenty four 4-foot pcs.


Ideal to repair commonly used drain systems. Fits Quaker's Deck Drain-A-Way® (QP-3701). Simply saw out damaged area and insert Quaker's replacement drain top and bond it in place.



One-inch Paver Overlay is perfect for renovating an old, damaged deck. The overlay is easily installed on top of the old drain between the new surface paver stones, blending seamlessly with your landscape projects. Considerable expense is avoided in digging up old drain and replacing with a new system. Simpler and less time-consuming than replacement caps.

- Twenty (20) 5-foot lengths (100 ft./case)
- One side of overlay is notched for easy break-a-way for use against flat surfaces
- Available in white, gray, and tan
- UPS able carton







# Concrete **Products**

# **QP-781**

Arrowhead<sup>™</sup> Control Joint U.S. Patent No. 4.548.009

	Arrowhead <sup>™</sup> Control Joint Model Numbers Available colors: white, gray, and tan (W,G,T)		
Item No. Length			Packaging
	QP-781 (W,G,T)	12 ft.	240 ft./case, twenty 12-foot pcs.


Unique arrow-shape presses easily into concrete, no channels to obstruct installation. Locks into concrete, minimum water seepage. Double-layer, peel-off tape protects top during installation.

# 0.625" 1.75"

**QP-971 Arrowhead™ Control Joint Extension Base** 

Arrowhead	Arrowhead <sup>™</sup> Control Joint Extension Base Model Numbers Available in White Only		
Item No. Length Packagir		Packaging	
QP-971	12 ft.	192 ft./case, sixteen 12-foot pcs.	


Used when a full expansion, as well as contractual joint, is needed. Simply snap the control joint (QP-781) and base together to meet this requirement.



# **QP-2571W1** Arrowhead<sup>™</sup> Accent Strip

Arrowhead <sup>™</sup> Accent Strip Model Numbers Available colors: white, gray, and tan (W,G,T)		
Item No. Length Packaging		
QP-2571W1 (W,G,T) 12 ft. 240 ft./case, twenty 12-foot pcs		

Use Accent Strip where true expansion joint is not required to provide a decorative trim or pattern in poured concrete. Double-layer, peel-off tape protects surface during installation.







# QT-131, 132, 133, 261, 262 Heavy Duty Discharge Hose


- Highest quality vinyl discharge hose, 20% thicker than the competition Most popular sizes are shrink-wrapped in retail-friendly packaging for
- best shelf visibility and easier handling
- Stainless steel clamp included with retail-size rolls
- · Color-coded for easy identification and convenient inventorying
- Highest quality made in America

Heavy Duty Discharge Hose Model Numbers				
Item No.	Rolls per			
QT-131*	1 <sup>1</sup> / <sub>2</sub> " x 25' with clamp	6		
QT-132*	1 <sup>1</sup> / <sub>2</sub> " x 50' with clamp	6		
QT-133 1 <sup>1</sup> / <sub>2</sub> " x 200' without clamp		1		
QT-261	2" x 200' without clamp	1		
QT-262* 2" x 50' with clamp 5				
* Available in shrink-wrap packaging				

# Liner Bead Wedge Lock

Liner I	Bead Wedge	Look Mode			
	Liner Bead Wedge Lock Model Numbers				
Item No.	Item No. Length		Packaging		
QP-1561	1500 ft.	White	1 spool		
QP-1562 12	20 ft. per bag	White	12 bags per box		
QP-1563	1500 ft.	Blue	1 spool		
QP-1564 1	20 ft. per bag	Blue	12 bags per box		
QP-1565	1500 ft.	Black	1 spool		
QP-1566 1	20 ft. per bag	Black	12 bags per box		
QP-1567	1500 ft.	Gray	1 spool		
QP-1568 12	20 ft. per bag	Gray	12 bags per box		

High-quality flexible vinyl designed as a wedge (or shim) to secure liner bead to coping track. Available in white, blue, black, and gray.





**32** CONCRETE PRODUCTS

cardinalsystemsinc.com





# **Liner Locks**









# **Liner Tracks**

# **QP-521 Side Mount Liner Track**

	Side Mount Liner Lock Model Number		
Item No. Length		Length	Packaging
	QP-521	8 ft.	400 ft./case, fifty 8-foot pcs.

Mounts on the side of pool walls to hold liner securely. Ideal for pools in which coping cannot be easily removed or for installing liners in concrete pools. White PVC.


# 0.5625" **-**----> .25" → 0.4375" ←

All dimensions are nominal

# **QP-531 Top Mount Liner Track**

Top Mount Liner Lock Model Number		
Item No.	Length	Packaging
QP-531	8 ft.	512 ft./case, sixty four 8-foot pcs.

Ideal for new pools or installing a liner in a pool with easily removable coping or with broken coping. Install Top Mount Liner Lock on top of the pool wall to hold liner securely. White PVC.




All dimensions are nominal



# **QP-2022 Radius Cut Liner Track**

Top Mount Liner Lock Model Number		
Item No. Length		Packaging
QP-2022	8 ft.	208 ft./case, twenty six 8-foot pcs.


For use in free-form vinyl liner pools. Conforms to pool radius. White PVC.



# **QP-532 6" Radius Corner for Top Mount** Liner Track

Top Mount Liner Lock Model Numbers		
Item No.	Length	Packaging
QP-532	24 in.	set of four 24 in. pcs.

Perfectly matches Top Mount Liner Lock (QP-531). These pre-notched corner lengths are easily shaped by hand to form any corner up to a 6" radius. White PVC.





# **QC-16 Top Mount Double Track**

	Top Mount Double Track Model Number		
Iten	n No.	Length	Packaging
Q	C-16	8 ft.	112 ft./case, fourteen 8-foot p

Installation is simple - two men can do the job in just an hour and a half. No grouting, no gluing and this unique tile/coping system can be used on steel, aluminum, polymer, fiberglass ... any kind of wall structure, any shape. The tile border can even be added later but only if Quaker's Tile/Coping System is used for the initial installation. White PVC.

# **QP-2581 Above Ground Pool Replacement Liner Hanger**


Above Ground Pool Replacement Liner H			ol Replacement Liner Har
	ltem No.	Length	Packaging
	QP-2581	56 in.	266 ft./case, fifty seven 56


Hanger fits on top of pool walls to provide a liner bead receiver. Liners fit better with fewer or no wrinkles, conforms to pool interior. Easy to change liners, no need to disassemble pool. White PVC.

# **QP-7141 Deluxe** Above Ground Pool Replacement **Liner Hanger**

Deluxe Above Ground Pool Replacement Line		
Item No.	Length	Packaging
QP-7141	56.5 in.	188 ft./case, forty 56.6"









Liner

Hangers





# Holders



# QP-2681 Ceramic Tile Holder for New Pools

Ceramic Tile Holder Model Number			older Model Number
	Item No.	Length	Packaging
	QP-2681	6 ft.	120 ft./case, twenty 6-foot pcs.

You can create the elegant look of a higher cost pool just by adding real tile to an ordinary vinyl liner pool built with Quaker's patented tile/coping system. Practical, as well as stylish, real tile protects the vinyl from ultraviolet deterioration that is so common in the Sunbelt.

This unique system has been tested for over thirty years on hundreds of pools and has withstood the harsh winters of the Northeast with amazing durability. Frost proof tiles are available from local tile distributors. Accomodates a 6" x 6" tile. White PVC

# QP-3162 Sign Holder with "No Diving" Signage

Sign Holder with "No Diving" Sign Model Number		
Item No.	Length	Packaging
QP-3162	3½"hx 16¾"w	200 sign holders with sign affixed per case
QP-3162-1	3½"hx 16¾"w	Single Piece

The white plastic sign holder is ideal to display *"No Diving"* signs in new or existing vinyl liner pools. Patented lock-in edge snaps in above the existing liner bead.


The Sign Holder can be easily inserted around the pool as recommended by pool manufacturers. Here's a simple, clean, effective, and low cost way to equip all pools with important safety signage.













# **THERMOPLASTIC STEPS**

# **About Our Steps**

Our thermoplastic stairs are flexible, extremely strong and built to withstand the elements. Not only is the strength built into the stair itself, every stair has a support system which is set in concrete. The stairs are vacuum-formed from a single piece of ABS. Many shapes and styles are available in both our Quaker Step line as well as the Cardinal Step line, including contour, cantilever, in-wall ladder, leisure bench and corner. All steps are white with a few models available in gray granite and a limited availability in blue granite.

# **TLC<sup>®</sup> Total Liner Care**

Our patented radius corner stair mount face plate is rounded at each bottom corner, mating with the side face plates for a truly professional look. Smooth corners mean no sharp edges inside the pool, eliminating a possible hazard during liner installation and providing added protection for pool users. When a liner replacement is necessary, face plate screws are easily removed.

# **Precision Grooved Faceplate**

The back of the smooth, radius corner Stair Mount Face has been designed with ridges and grooves to ensure a leak-tight seal between the stair gasket and liner. This engineered, leak-tight system has been proven in over 250,000 installations.

# **Color Matched Pre-Punched Gasket**


Our gasket blends with the stair and liner edge for a beautiful, color matched installation. The prepunched gasket means an easier, quicker installation and assures that no gasket material will be wedged into the screw hole and cause leakage for a beautiful, color matched installation.

# **Improved Trim Strip**

The trim strip, used to conceal the screws, is made from color matched, flexible plastic material. It can be easily pressed into the holding track and easily removed.

# **Permanent Deadend Block**


Both the Quaker Stairs and Cardinal Step easily adapts to all swimming pools. Our unique Deadend Block design helps assure watertight installation. A permanent, solid plastic Deadend Block is securely bonded at the factory. This block totally encapsulates all screws, assuring a non-leak installation.



TLC<sup>®</sup> Total Liner Care




Precision Grooved Faceplate



Color Matched Pre-Punched Gasket



Improved Trim Strip



THERMOPLASTIC STEPS 39



**The Ultimate In-pool Stairs** 

For Beauty, Convenience & Quality





**QP-0004S** 4 ft. 3-tread Straight



**QP-0064S** 6 ft. 4-tread Straight



**QP-0064SC** 6 ft. 4-tread Straight Cantilever





QP-4063C42 6 ft. 3-tread 90° Corner Twin Seat/Step Cantilever







**QP-0085TS** 8 ft. 5-tread Twin Seat/Step Straight, 48" wall height



located under each tread.

costly labor or materials.

Result: level stairs with bleacher-type stability, strength, and support.

**QP-0064R** 

6 ft. 4-tread Radius



**QP-0064RFC** 6 ft. 4-tread French Curve Radius



**QP-0084S** 8 ft. 4-tread Straight



**QP-0084TS** 8 ft. 4-tread Twin Seat/Step Straight



**QP-0084TSR** 8 ft. 4-tread Twin Seat/Step Radius

**40** QUAKER STAIRS



**QP-0084TSC** 8 ft. 4-tread Twin Seat/Step Straight Cantilever



**QP-0084TRC** 8 ft. 4-tread Twin Seat/Step Radius Cantilever



**Ridg-A-Dizing Channels** 

Massive, all-plastic channels are

permanently bonded to the un-

derside of each tread, providing

controlled flexibility. These patent-

mean optimum strength while still

allowing the stairs enough flexibility to withstand freezing and thawing.

ed, heavy-duty, extra-wide channels



# **The Ultimate In-pool Stairs**

For Beauty, Convenience & Quality

**QP-0006IWS** 6 ft. In-wall seat



Stairs

QP-006IWSC 6 ft. In-wall Seat Cantilever

**QP-2008** 8 ft. Swim-out with rope kit

Not Shown:

QP-1000NR, white QP-1000NRG, gray In-pool Ladder, without rails

**QP-0064RC** 6 ft. 4-tread Radius Cantilever

Photographs may not be representative of color. Actual stair color may vary from photograph.

# Lock Down Bleacher System™

U.S. Patent No. 6,655,098 | Canada Patent No. 2,406,345

# Fast, Easy, and Simple!

Entire Lock Down Bleacher System<sup>™</sup> is preassembled at the factory, no lost nuts or bolts. Stair support posts simply snap down and lock into place.

The molded bottom shoes easily flip to the horizontal position and the stair is ready for installation. Precision-engineered leveling support posts and bottom shoes are permanently hinged at the factory to the massive, Ridg-A-Dized support channel, strategically

Leveling and support posts, along with the support shoes, are predrilled for rebars. Install rebar through holes, cover with concrete, and stair is ready for final leveling before concrete hardens. No blocks, no nuts or bolts, no make-shift leveling/support methods, no







# **The Cardinal Step**

For quality, for style, for a lifetime



**The Cardinal Step** 

The Cardinal Thermoformed Step is the latest addition to Cardinal's family of quality products.

The Cardinal Step is designed for durability, manufactured with precision, and built for easy assembly. Taking it a step further, we kept our eye on details such as using the thickest sheet material, a quick "click" fastening assembly, a molded attachment for concrete tube forms, and more.



Concrete tube attachment with a quick twist insert, tube forms are securely placed for additional support for concrete decking.



strength and web corner design provide stronger support by eliminating weak areas found in earlier brace systems.

> A unique brace extension for our twin seat models provides additional support for sitting areas.

Thermoplastic sheet used to manufacture the step is the thickest in the industry.

Brace to tread attachment system in our support brace system was developed for easy assembly in the field, with no need for tools or adhesives. The fastening clips on the brace align with the sockets on the bottom of the tread support and securely interlock. Connect with confidence - in one easy step.

> Superior tread support found underside is reinforced with molded channels for greater strength. The tread support extends the entire width of the stair providing maximum support.





CS-0064R 6 ft. 4-tread Radius



**CS-0084TS** 8 ft. 4-tread Twin Seat/Step Straight





**CS-0084TRC** 

8 ft. 4-tread Twin Seat/Step

Radius Cantilever

- Lifetime Warranty
- Strategically placed rebar openings for ground and brace-to-brace reinforcement.
- Made of High Impact Polystyrene (HIPS)
- Available on our most popular 4-tread models
- 8-foot models are supported with 5 braces.

42 THE CARDINAL STEP

For quality, for style, for a lifetime

**CS-0064RFC** 6 ft. 4-tread French Curve Radius

CS-0084TSC 8 ft. 4-tread Twin Seat/Step Straight Cantilever



CS-0064S 6 ft. 4-tread Straight

CS-0084S 8 ft. 4-tread Straight



**CS-0084TSR** 8 ft. 4-tread Twin Seat/Step Radius



CS-0064SC 6 ft. 4-tread Straight Cantilever

Not shown:

CS-0064RC 6 ft. 4-tread Radius Cantilever

Photographs may not be representative of color. Actual stair color may vary from photograph.



# **Z POOLFORM**

# **Reusable Decorative Cantilever Form Products**

Z Poolform<sup>™</sup> by Cardinal Systems, Inc. is a unique, reusable system that is the easiest and most economical way to finish your pool project with an attractive concrete deck.

Easy to use, cost-effective, and timesaving, the forms can be used with vinyl liner, gunite, and fiberglass pools. The three-part system consists of two PVC forms and a form liner that interlock for a safe, efficient, and decorative concrete finish. The eight-foot forms are available in straight lengths and notched pieces to accommodate any freeform style, conforming to radii as small as six inches.

# How does the system work?

The base form fits easily into the liner track of a vinyl liner pool. (Cardinal's HZ Top Mount Liner Track is recommended, see page 15). The back piece snaps firmly on top of the base as a "back-board" for the concrete pour, assuring that no cement will leak into the liner track or onto the pool wall during the pour. The form liner is a flexible rubber insert that is grooved at the top so it will lock firmly into the back piece. The form liner is interchangeable to give you a selection of different edge profiles and textures to tie in with your hardscape design: Square, Bullnose, Bullnose Slate, Bullnose Travertine, Bermuda (French Curve), Chiseled Stone, and Chiseled Slate. These popular textured edges match most deck stamps on the market and eliminate extra work to create a seamless appearance, and creates a 3 inch profile.

For gunite or fiberglass pools, the process is the same; however, a receiver track needs to be affixed to the wall. This is done simply with construction screws or double-sided tape. Cardinal offers the receiver tracks in straight and notched lengths to give you the versatility you need for any pool shape.

To find out more about the Z Poolform<sup>™</sup> by Cardinal Systems, Inc., contact your Cardinal sales representative or visit our website at cardinalsystemsinc.com.

# **Z** Poolform AutoCover

The reusable, molded decorative concrete liner slides into the Z Poolform. These inserts are available in different patterns to give a decorative edge to any pool deck. Comes in packs of 64 feet.

### Pouring a concrete pool coping has never been easier....


The AutoCover Z Poolform<sup>TM</sup> is a reusable PVC form used to create decorative concrete copings for swimming pools that works with Coverstar and APC auto cover tracks. The interchangeable form liners will allow for a variety of different edge profiles and textures.

**ACF-001:** eight 8' pieces (64 linear feet) of AutoCover Poolform plus 64 Spacers.


ACS-001: 64 Spacers.

\* Liners sold separetely. (See page 47)









# **Z** Poolform

# **Cantilever Forms for Vinyl Liner, Concrete and Fiberglass Pools**



# Z Poolform<sup>™</sup>

**PF-001** Z Poolform<sup>™</sup> is a reusable PVC form used to create decorative concrete coping for pools. Interchangeable form liners will allow for a variety of different edge profiles and textures.

Z Poolforms<sup>™</sup> can be used with vinyl liner, fiberglass, or concrete pools.

Package contains eight - 8' pieces (64 linear feet) of straight Z Poolform<sup>™</sup>. This includes the base form and the back piece.



# **Receiver Track**

RT-001 The Receiver Track is used to mount the Z Poolform<sup>™</sup> on top of the pool wall of a concrete or fiberglass pool. The Receiver Track can

be fastened to the pool wall with either our 1" Construction Screws or our 2" Polyester Mounting Tape.

This package contains sixteen 8' pieces (128 linear feet) of straight receiver track (RT-001). The receiver track is NOT reusable because it is left in place.



### Bendable Z Poolform<sup>™</sup>

BPF-001 Bendable Z Poolform<sup>™</sup> is a reusable PVC form used to create decorative concrete coping for pools. Interchangeable form liners will allow for a

variety of different edge profiles and textures. Z Poolforms™ can be used with vinyl liner, fiberglass, or concrete pools.

Package contains eight – 8' pieces (64 linear feet) of bendable Z Poolform<sup>™</sup>. This includes the base form and the back piece.



# **Bendable Receiver Track**

BRT-001 The Bendable Receiver Track is used to mount the Z Poolform<sup>™</sup> on top of the pool wall of a con-

crete or fiberglass pool. The Receiver Track can be fastened to the pool wall with either our 1" Construction Screws or our 2" Polyester Mounting Tape.

This package contains sixteen 8' pieces (128 linear feet) of bendable receiver track (BRT-001). The receiver track is NOT reusable because it is left in place.

### Accessories



# Extraction Tool

will help ensure a long life for

vour Z Poolforms™.

**PET-001** The Z Poolform<sup>™</sup> CSC-010 Contains 200 pieces and Extraction Tool is used to safely a 5/32" masonry drill bit. For use in remove the Z Poolform<sup>™</sup> from concrete pre-drill with 5/32" masonry the Receiver Track (RT-001) or drill bit (included). liner track without causing any Serrated thread with damage to the forms. This tool

multi-head drive Heavy duty use.

**1**" Construction Screws



# **2**" Polyester Tape

PMT-200 Double-sided Polyester Mounting Tape used to fasten Receiver Track (RT-001) to top of fiberglass pools. Extremely strong adhesive will stick to almost anything.

2" x 108' per roll

# Z Release

The Z Poolform<sup>™</sup> liquid form release.

**ZR-004** - 1 Gallon

**ZR-020** - 5 Gallons

mately 750 to 1,000 square



The reusable, molded decorative concrete liner slides into the Z-Poolform. These inserts are available in different patterns to give a decorative edge to any pool deck. Comes in packs of either 32 feet or 64 feet.








### form<sup>™</sup>. This liner will give BULLNOSE you a bullnose edge with a TRAVERTINE travertine texture.

**BTPL-004** – 4 pack – 32'

BTPL-008 - 8 pack - 64'





A flexible rubber insert that will lock into the Z Poolform<sup>™</sup>. This liner will give you a smooth bullnose edge.

### **BPL-004** – 4 pack – 32'

BULLNOSE

**BPL-008** – 8 pack – 64'





A flexible rubber insert that will lock into the Z Poolform<sup>™</sup>. This liner will give you a bullnose edge with a slate texture.

**BSPL-004** – 4 pack – 32' **BSPL-008** – 8 pack – 64'

2.5" x 180' per roll

2.5" Vinyl Tape

WVT-250 White Vinyl

tape used to cover gaps

caused by "V notches" in

the bendable pool form.

cardinalsystemsinc.com


SLATE



\* 1 Gallon covers approxifeet.

**Z** Poolform









A flexible rubber insert that will lock into the Z Poolform<sup>™</sup>. This liner will give you a smooth flat edge.

**SPL-004** – 4 pack – 32' **SPL-008** – 8 pack – 64'








A flexible rubber insert that will lock into the Z Poolform<sup>™</sup>. This liner will give CHISELED STONE you a chiseled stone edge.

CSPL-004 – 4 pack – 32' CSPL-008 – 8 pack – 64'



CHISELED SLATE




BERMUDA

(French Curve)

**BRPL-004** – 4 pack – 32'



A flexible rubber insert that will lock into the Z Poolform<sup>™</sup>. This liner will give you a chiseled slate edge.







form<sup>™</sup>. This liner will give you a smooth capstone edge.

**BRPL-008** – 8 pack – 64'



# SIERRA OUTDOOR DESIGNS®

# **Outdoor Kitchen/Grill Cabinetry**

Sierra Outdoor Designs from Cardinal Systems, Inc. changes the playing field of outdoor living options with a sleek design that invites you and your family to expand your living quarters into the outdoors. Designers have created a streamlined system of component pieces for those who desire to entertain with style.

Utilizing 316 marine grade stainless steel construction materials and the highest quality faux stone facade the Sierra Outdoor line allows you to have attractive cabinetry options that provide both functionality and style.

Standardization of modular components help you create your own configuration to fit perfectly into your backyard entertainment area.

Elegance of design, innovation of materials and streamlined construction methods marry together in Sierra Outdoor Designs. The Sierra Outdoor Designs cabinetry system offers modular hardscape solutions that insure attractive and elegant options for any space.

# **Options**

The cabinetry is designed for custom choice finishes on the sides and back of the units. Sierra offers stainless steel or two choices of faux stone: brown or gray stacked stone. The system is made so you can make a change to your look at any time by easily sliding out the existing side or back panel and replacing it with a new panel.






Stainless Steel Brown Faux Stone

# **The Break Down**

Each cabinet component comes in a flat packed version allowing for easy shipping at a competitive price. A minimal amount of pieces also makes for ease of assembly and setting the entire system up in a short amount of time. And, if need be, can be disassembled for storage or moving to a new location depending on the type of counter top used.



cardinalsystemsinc.com





Gray Faux Stone



# Cabinets



# THE CABINETRY LINE

30" width with 2 doors

24" width with 1 door

# THE CABINETRY LINE

### **Base Cabinet**


The base cabinet provides ample storage space. Made of stainless steel components, the cabinet is available as a stand alone or may be connected to other available pieces. The doors are stainless steel with a solid feel and attractive handles. For the finished sides, choose from the available faux stone options or an all stainless steel look. The base cabinet is available in 24", 30" and 36" widths. 24" cabinet comes with one door which can be installed with either a left or right opening. 30" and 36" comes with two doors.



# **Bar Cabinet**

Our bar cabinet has the same features as our base cabinet but with an extended bar at the top. Made of stainless steel components, the cabinet is available as a stand alone or may be connected to other available pieces. The doors are stainless steel with a solid feel and attractive handles. For the finished sides, choose from the available faux stone options or an all stainless steel look. The bar cabinet is available in a 36" or 48" width.





# **Grill Cabinet**

Make grilling a statement of art with our grill cabinet. Built to house either an Allegra or Bull grill, this attractive piece will bring envy to all those you entertain. The doors are stainless steel with a solid feel and attractive handles. For the finished sides, choose from the available faux stone options or an all stainless steel look. The grill cabinet is available in a 42" or 48" width. Comes with adapter kit for the grill you intend to place in.




# **Corner Cabinet**

The corner cabinet provides a way to make an L shape or another type of configuration requiring a 90 degree angle. This unit can stand up against a wall or alone. For the finished sides, choose from the available faux stone options or an all stainless steel look. The corner cabinet is available in a 30" width.











42" width with 2 doors





# Cabinets



# THE CABINETRY LINE

# THE CABINETRY LINE

# **Sink Cabinet**

No kitchen or bar is complete without a sink. Our sink cabinet is made of stainless steel components and is available as a stand alone or may be connected to other available pieces. The doors are stainless steel with a solid feel and attractive handles. For the finished sides, choose from the available faux stone options or an all stainless steel look. The sink cabinet is available in a 36" width. Will fit most sinks. Please check the specifications before purchasing and/or installing a sink.





# **Refrigerator Cabinet**

Our refrigerator cabinet is made of stainless steel components and is available as a stand alone or may be connected to other available pieces. For the finished sides, choose from the available faux stone options or an all stainless steel look. The refrigerator cabinet is available in a 36" width.




# **Sink Bar Cabinet**

The sink bar cabinet is just like our sink cabinet except it has the extended bar unit. Made of stainless steel components, this is available as a stand alone or may be connected to other available pieces. The doors are stainless steel with a solid feel and attractive handles. For the finished sides, choose from the available faux stone options or an all stainless steel look. The sink bar cabinet is available in a 36" width. Will fit most sinks. Please check the specifications before purchasing and/or installing a sink.



# **Refrigerator Bar Cabinet**

Our refrigerator bar cabinet is made of stainless steel components and is available as a stand alone or may be connected to other available pieces. For the finished sides, choose from the available faux stone options or an all stainless steel look. The refrigerator bar cabinet is available in a 36" width.









# Cabinets




# THE CABINETRY LINE

# **PRE-BUILT DESIGNS**

# 24" Trash Cabinet

No kitchen is complete without a trash receptical. The cabinet is made of stainless steel components and is available as a stand alone or may be connected to other available pieces. The doors are stainless steel with a solid feel and attractive handles. For the finished sides, choose from the available faux stone options or an all stainless steel look. Comes only in the 24" width.






# We offer designer sets for convenience of choice which can be added to or used just as they are.

### The Pocono


G-42-IS	42" Grill Ca
CC-30-IC	30" Corner
C-36-IS	36" Cabinet
GKA3242ASSY	Grill Assem
AL32RC-BI-LP+1	Allegra 32"

Please Note: Unit does NOT include a countertop. A countertop template can be downloaded from our website: sierraoutdoordesigns.com



# **45 Degree Corner Cabinet**

The 45 degree corner cabinet provides a way to make a turn or give a curve feel to your set up. This unit can stand up against a wall or alone. For the finished sides, choose from the available faux stone options or an all stainless steel look.









binet, island, side, finished on back & left side

- Cabinet, island, center, finished on 2 back sides
- et, island, side, finished on back & right side
- nbly Kit for 42" cabinet for 32" Allegra Grill
- Built-in Cast Stainless Steel 4-Burner w/ lights, Back Burner & Rotisserie



# **PRE-BUILT DESIGNS**

# **PRE-BUILT DESIGNS**

# The Blue Ridge

T 24 IS	24" Treah Cabinat island side finished on back & left side	
T-24-IS	24" Trash Cabinet, island, side, finished on back & left side	
G-42-IC	42" Grill Cabinet, island, center, finished on back side	
CC-30-IC	30" Corner Cabinet, island, center, finished on 2 back sides	
C-36-IC	36" Cabinet, island, center, finished on back side	
SB-36-IC	36" Sink Bar Cabinet, island, center, finished on back side	
RB-36-IS	36" Refrigerator Bar Cabinet, island, side, finished on back & right side	
GKA3242ASSY	Grill Assembly Kit for 42" cabinet for 32" Allegra Grill	
AL32RC-BI-LP+1	Allegra 32" Built-in Cast Stainless Steel 4-Burner w/ lights, Back Burner & Rotisserie	
FK2434ASSY	Summit Refrigerator Adapter Kit	
L5-0001	Summit Refrigerator	
L2-0011	10 Gallon Black Trash Bin (Quantity -2)	
L2-0010	McAllister® by Sterling® KO1144718NA Stainless Steel Sink	
L2-0012	Kraus KPF-2160 Classic Kitchen Faucet	

Please Note: Unit does NOT include a countertop. A countertop template can be downloaded from our website: sierraoutdoordesigns.com




# The Denali

C-24-IS-LH	24"
G-42-IC	42"
T-24-IC	24"
CC-30-IC	30"
S-36-IC	36"
R-36-IS	36"
GKA3242ASSY	Gri
AL32RC-BI-LP+1	Alle
FK2434ASSY	Sur
L5-0001	Sur
L2-0011	10
L2-0010	Mc
L2-0012	Kra

Cabinet, island, side, finished on back & left side, left hand door Grill Cabinet, island, center, finished on back side Trash Cabinet, island, center, finished on back side Corner Cabinet, island, center, finished on 2 back sides Sink Cabinet, island, center, finished on back side Refrigerator Cabinet, island, side, finished on back & right side ill Assembly Kit for 42" cabinet for 32" Allegra Grill egra 32" Built-in Cast Stainless Steel 4-Burner w/ lights, Back Burner & Rotisserie mmit Refrigerator Adapter Kit mmit Refrigerator Gallon Black Trash Bin (Quantity -2) Allister® by Sterling® KO1144718NA Stainless Steel Sink aus KPF-2160 Classic Kitchen Faucet

### Please Note: Unit does NOT include a countertop. A countertop template can be downloaded from our website: sierraoutdoordesigns.com





# **Pre-Designed** Combinations




# **PRE-BUILT DESIGNS**

# **PRE-BUILT DESIGNS**

# **The Appalachian**

T-24-IS	24" Trash Cabinet, island, side, finished on back & left side	
G-42-IC	42" Grill Cabinet, island, center, finished on back side	
CC-30-IC	30" Corner Cabinet, island, center, finished on 2 back sides	
C-24-IC-RH	24" Cabinet, island, center, finished on back side, right hand door	
R-36-IS	36" Refrigerator Cabinet, island, side, finished on back & right side	
GKA3242ASSY	Grill Assembly Kit for 42" cabinet for 32" Allegra Grill	
AL32RC-BI-LP+1	Allegra 32" Built-in Cast Stainless Steel 4-Burner w/ lights, Back Burner & Rotisserie	
FK2434ASSY	Summit Refrigerator Adapter Kit	
L5-0001	Summit Refrigerator	
L2-0011	10 Gallon Black Trash Bin (Quantity -2)	


Please Note: Unit does NOT include a countertop. A countertop template can be downloaded from our website: sierraoutdoordesigns.com



# **The Catskills**

G-42-IS	42" Grill Cabinet, island, side, finished on back & left side
C-24-IS-RH	24" Cabinet, island, side, finished on back & right side, right hand door
GKA3242ASSY	Grill Assembly Kit for 42" cabinet for 32" Allegra Grill
AL32RC-BI-LP+1	Allegra 32" Built-in Cast Stainless Steel 4-Burner w/ lights, Back Burner & Rotisserie


Please Note: Unit does NOT include a countertop. A countertop template can be downloaded from our website: sierraoutdoordesigns.com



# The Allegheny

G-42-IS	42" Grill Cabinet, island, side,
C-36-IC	36" Cabinet, island, center, fir
S-36-IC	36" Sink Cabinet, island, cent
R-36-IS	36" Refrigerator Cabinet, islar
GKA3242ASSY	Grill Assembly Kit for 42" cabi
AL32RC-BI-LP+1	Allegra 32" Built-in Cast Stain
FK2434ASSY	Summit Refrigerator Adapter I
L5-0001	Summit Refrigerator
L2-0010	McAllister® by Sterling® KO1
L2-0012	Kraus KPF-2160 Classic Kitch

Please Note: Unit does NOT include a countertop. A countertop template can be downloaded from our website: sierraoutdoordesigns.com







, finished on back & left side nished on back side ter, finished on back side nd, side, finished on back & right side inet for 32" Allegra Grill nless Steel 4-Burner w/ lights, Back Burner & Rotisserie Kit

144718NA Stainless Steel Sink hen Faucet

# Appliances



# The 32" Allegra Built-in Grill

- 4 Main burners at 15,000 btu each ( 60,000 btus )
- 700 square inches of total cooking area (510 main grilling area)
- All stainless steel construction Stainless steel burners
- 304 Stainless steel cooking grills Warming rack Temperature
- gauge Flame throw ignition system Double inside lightsPull out grease tray Stainless steel flame tamers
- Available in LP or NG Cutout dimensions: 30 1/2"w x 21"d x 9"h
- Infrared back burner

# The 38" Allegra Built-in Grill

5 Main burners at 15,000 btu each (75,000 btus) • 890 Square inches of total cooking area (645 main grilling area) • All stainless steel construction • Stainless steel burners • 304 Stainless steel cooking grills • Warming rack • Temperature gauge • Flame throw ignition system • Double inside lights • Pull out grease tray
• Stainless steel flame tamers • Available in LP or NG • Infrared back burner • Cutout dimensions: 38 3/4"w x 21"d x 9"h

# **Summit Outdoor Refrigerator - SPR6270S**

34.0" H x 23.63" W x 23.5" D • ENERGY STAR certified commercial refrigerator • Designed and constructed for use in the outdoors
Flexible design allows built-in or freestanding use in 24" wide spaces • Stainless steel door offers a professional look
Recessed LED lighting offers attractive presentation of stored products • Factory installed lock provides security you can count on • Easy temperature management with a digital thermostat

• Commercially listed to NSF-7 standards

# Kraus KPF-2160 Classic Kitchen Faucet

• 100% Stainless steel faucet body and handle constructed of solid brass • High-quality, corrosion and rust resistant finish - finish covered under lifetime warranty • Spout swivels 180 degrees to allow for unobstructed sink access • High-arch gooseneck spout further allows for unobstructed sink access

# McAllister<sup>®</sup> by Sterling<sup>®</sup> Stainless Steel Sink

• Classic stainless steel single rectangle undermount sink • Silent-Shield<sup>®</sup> sound-absorption technology helps maintain water temperature, reduces condensation, and decreases noise • Overall dimensions 24" L x 18" W x 8" D



Der D



NG



Cardinal



Sierra®



Cardinal is the industry leading manufacturer of walls, steps and components for in-ground swimming pools. Founded in 1976 with the mission to create a high quality product and provide exceptional customer service, Cardinal continues that philosophy today in its third generation of family ownership.

cardinalsystemsinc.com

SA-CAT-V1 © 2016 Cardinal Systems, Inc.